

Pollution Incident Response Management Plan

(part of Site Emergency Response Plan)

Wauchope Depot

Rev.10 November 2021



(i)

Boral Cement Wauchope Page 2 of 13



Avoiding risky activities at times when weather events may magnify the harm caused by a spill;

Ensuring drainage structures can be sealed to halt passage of spilt fluids or powdered solids;

Training of employees and contractors in good environmental practice.

The bunded areas must be capable of preventing the migration of any spillage or leakage to the surrounding environment. The requirement for bunding is relative to the level of risk and type of area. Bunding specifications are summarised in Australian Standard AS 1940:2004.


Maintenance:

All silos, tanks and pipe-work are inspected regularly and at least annually for signs of damage. Any defect in the walls or lining is repaired immediately using appropriate techniques. Damage to the tank or transfer

Boral Cement Wauchope Page 3 of 13



Figure 1: Wauchope site diagram



Boral Cement Wauchope Page 4 of 13



- Due to a diesel spillage onto a street from the site, a clean-up operation is being organised. Please be watchful for road closures in relation to this operation.

A follow up information on the resolution of emergency situation would be timely conducted also on the phone. If required, further information would be disseminated by means of leaflets in a letterbox drop.

Boral Cement Wauchope Page 6 of 13



6. Revision History

Vers64.**፪**64

Boral Cement Wauchope Page 11 of 13



APPENDIX B: Neighbours Contact List - Wauchope Depot

| NUMBER NUMBER | NEIGHBOURS | ADDRESS | EMERGENCY NOTIFICATION PHONE NUMBER | METHOD |
|---------------|------------|---------|---|--------|
|---------------|------------|---------|---|--------|

Boral Cement Wauchope Page 13 of 13